

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	6	("5019879" "5886379" "5962889" "5973353" "6252271" "6380582").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/23 09:12
L8	4	("5021848" "5432112" "5508957" "5830771").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/23 09:13
L9	3	("6108242" "6165845" "6204122").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/23 09:16
L10	7796	257/239,261,295,298,314-326.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/23 09:46
L11	4391	L10 and (float\$3 near (gate electrode\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/23 09:46
L12	1428	L11 and (((element\$1 device\$1 circuit\$1) near isolat\$3) LOCOS STI)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/23 09:47
L13	1415	L12 and substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/23 09:35
L14	1413	L13 and (ONO insulat\$3 oxide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/23 09:47
L15	22	L14 and (interval with step\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/23 09:48
L16	5	("5635748" "5675162" "5688705" "5696019" "6153469").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/23 09:42
L17	2	("5661053" "5688705").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/23 09:43

L18	450267	"257"/\$.ccls. "438"/\$.ccls. "365"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/23 09:46
L19	18093	18 and (float\$3 near (gate electrode\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/23 09:46
L20	4421	19 and (((element\$1 device\$1 circuit\$1) near isolat\$3) LOCOS STI)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/23 09:47
L21	4312	20 and (ONO insulat\$3 oxide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/23 09:47
L22	42	21 and (interval with step\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/23 09:48
S1	7796	257/239,261,295,298,314-326.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/21 12:01
S2	4391	S1 and (float\$3 near (gate electrode\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/21 12:01
S3	1428	S2 and (((element\$1 device\$1 circuit\$1) near isolat\$3) LOCOS STI)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/21 12:03
S4	1415	S3 and substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/21 12:04

S5	1413	S4 and (ONO insulat\$3 oxide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/21 12:04
S6	200	S5 and interval	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/05/23 09:35